OOK

| Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|
| | | |

Work code: 005-17-000015
Est cost: 20.00 Lakhs

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356449

Serial No. .....
Name of Work Improvements to Roads and Drains at Jakkur in ward No 05 Byatarayanapura Sub Division From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | Work Order No: BBMP/EE/BTP/WO/200/16-17 Dt 8/3/17 | | | | | | |
| | Name of Contractor:- B. R. Dhanajaya. | | | | | | |
| | ① Earthwork Excavation by manual means in Hard soil involving an avg Hle throw upto 2m & an avg lift- of upto 0.50m Excavated surface leveled & sides neatly dressed Lift disposed earth to be leveled neatly after breaking of clods etc Complete. Qty is as per premeasurement of Lift MB page 356478-356479 | | | | | = 102.49 m³ | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | @ Rate 83.44/m² | | | | | | 102.49 m² |
| | | | | | | =N | 855/=76 |
| (2) | Removing B.S slab & stacking | | | | | | |
| | Qty is as per pre measurement of ITEM NO 13 page NO 356479-356480 | | | | | | 1244.65 m² |
| | @ Rate 63.09/m² | | | | | | = 78524=96 |
| (3) | Refixing stone slabs of drains & pointing in CM 1:3 | | | | | | |
| | Qty is as per vide item no (2) | | | | | | 1244.65 m² |
| | @ Rate 77.34/m² | | | | | | = 96261=23 |
| (4) | Providing granite slabs of Selected quantity roughly dressed & fixed in C.M (1:6) | | | | | | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | including fixing |
| | Qty is as per pre |
| | fixing slabs |
| | @ N 639.05/m² |
| (5) | providing & laying |
| | & down size gra |
| | bed in layers |
| | in foundation & |
| | etc complete |

OK

| Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|
| | | 102.49 m² |
| | =N | 855/=76 |
| ing. | | |
| of 115 mm B.W | | |
| 79-356480 = | | 1244.65 m² |
| = | | 78524=96 |
| | | |
| cing & pointing in CM 1:3 | | |
| (2) | ——— | 1244.65 m² |
| = | | 96261=23 |
| of Selected quantity | | |
| C.M (1:6) | | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

356450

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | including fixing curing etc Compleate. | | | | | | |
| | Qty is as per premeasurment of | | | | | Item 2 of 115 mm B | |
| | mixing slabs | | | | page 356480 | ——— | = 219.64 m² |
| | @ N 639.05/m² | | | | | = | 140360=94 |
| (5) | providing & laying in position P.C.C mix 1:4:8 with 40 mm t down size graded granite metal mixed concreate ba:d in layers not exceeding 15 cm thick well compacted in foundation & plinth including cost of all materials etc Compleate. | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Qty is as per premeasurement of ILis MB page no 356480 | | | | | = 5.70 $m^3$ | |
| | @ Rate: 4952.66/$m^3$ | | | | | N = 28230.16 | |
| (6) | providing & constructing granite/basalt SSM in foundation with C.M 1:6 stone hammer dressed in courses not less than 20 cms high bond stones at two m apart in each course including Cost of materials labour, curing etc complete. | | | | | | |
| | Qty is as per premeasurement of ILis MB page no 356481 | | | | | = 10.53 $m^3$ | |
| | @ Rate 4260.69/$m^3$ | | | | | N = 44865.06 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| (7) | providing & Constr C.M 1:6 Edges of ILem 15cm Lig courses includ complete |
| | @ Rate 5093.0 |
| (8) | providing & re propping etc |

OOK

| Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|
| | ...ork of 11cm thick B | |
| | 356480 — = 5.70 m³ | |
| | N = 28230.16 | |
| | ...rite/basalt SSM in ...ne hammer dressed ...cm Ligh bond stones ...courses including ...ning etc complete. | |
| | ...k of 11cm thick M.B | |
| | 81 = — 10.53 m³ | |
| | N = 4486 5.06 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356451

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| (7) | providing & Constructing C.M 1:6 edges of stone 11cm 15cm Ligh bond stone courses including cost of materials complete | basalt SSM chisel dressed at two ... | | | | in basement - with ... in courses not less ... apart ... each labour curing etc | |
| | | | 13.00 | 0.50 | 0.45 | = 5.85 | |
| | | | 6.10 | 0.50 | 0.45 | = 2.92 | |
| | @ Rate 5093.09 | | | | | 8.77 m³ | |
| | | | | | | = 44666.39 | |
| (8) | providing & removing centering Shuttering, struting propping etc removal of form work. for ... sides soffits. | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | of beams & lintels not exceeding 1m in depth including cost of all materials labour etc complete. | | | | | | |
| | | 1 | 13.00 | 0.60 | — | 7.80 | |
| | | 2 | 13.00 | 0.23 | — | 5.98 | |
| | | 2 | 1.95 | 0.23 | — | 0.89 | |
| | | 1 | 6.50 | 0.60 | — | 3.90 | |
| | | 2 | 6.50 | 0.23 | — | 2.99 | |
| | @ Rate 260.51/m² | 2 | 1.95 | 0.23 | — | 0.89 | |
| | | | | | | 22.45 m² | |
| | | | | | | = 5848.44 | |
| (9) | providing & laying in position P.C.C of mix 1:3:6 with 20mm & down size graded granite | | | | | | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | metal course bypass not exc & plinth incudi machinery co |
| 28/2/19 | Ver- C&FC |
| | @ Rate 5374.96 |

BOOK

| ns Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| exceeding 1m in depth | | | |
| icial labour etc | | | |
| 60 | — | 7.80 | |
| 23 | — | 5.98 | |
| 23 | — | 0.89 | |
| 60 | — | 3.90 | |
| 23 | — | 2.99 | |
| 23 | — | 0.89 | |
| | | 22.45 m² | |
| | | = 5848.44 | |
| m | P.C.C of mix 1:3:6 | | |
| - grades granite | | | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

356452

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | metal coarse aggregate mix mixed hyess not exceeding 15 cms Like well Compacted in foundation & plinth including cost of all materials labour tools & machinery Contig etc Complete. | | | | | Concrete bed in | |
| | | 2 | 13.00 | 0.50 | 0.10 | = 1.30 | |
| | | 1 | 13.00 | 0.60 | 0.10 | = 0.78 | |
| | | 2 | 6.50 | 0.50 | 0.10 | = 0.65 | |
| | | 1 | 6.50 | 0.60 | 0.10 | = 0.39 | |
| | | | | | | 3.12 m³ | |
| | | | | | | = 16769.87 | |

28/2/19 Vend- c/f FC 28/2/2019

Rate 5374.96/m³

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| (10) | Providing flush pointing to coursed stone masonry with C.M 1:3, 20mm deep after raking joints to depth of 20mm in cicely lining including cost of all materials labour curing etc complete. | | | | | | |
| | | 2 | 13.00 | — | 0.45 | = 11.70 | |
| | | 2 | 6.00 | — | 0.45 | = 5.40 | |
| | @ Rate Rs 98.-/m² | | | | | 17.10 m² | |
| | | | | | | = 1687.94 | |
| (11) | Providing & laying in position P.C.C of mix M20 with 20mm & down size graded granite metal coarse aggregates nic mixes concrete not exceeding 15cm thick vibrated for all works | | | | | | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Age
Date of commencement of work .....

| Date | Full description, etc, of w |
|---|---|
| 1 | 2 |
| | in foundation etc complete |
| | 28/2/19 |
| | @ Rate |
| (12) | providing |
| | concrete |
| | placing |

| Contents 7 | Reference to last Measurement 8 |
|---|---|
| stone masonry | |
| er valuing 1:6 to | |
| g including con- | |
| etc complete. | |
| = 11.70 | |
| = 5.40 | |
| 17.10 m² | |
| = 1687.94 | |
| -C of 1:6 M:20 | |
| granite metal | |
| onerate not | |
| er all works | |

**M. A. R. 57 (Rule 116)**
Measurement Book

**No. B** 356453

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | In foundation including cost of all materials labour curing etc complete | | | | | | |
| | CKFC | 1 | 13.00 | 1.95 | 0.23 | = 5.83 | |
| | | 1 | 6.50 | 1.95 | 0.23 | = 2.91 | |
| | | | | | | 8.74 | |
| | 28/2/19 | | | | | Limited to 7.40 m³ | |
| | CKFC 28/2/2019 | | | | | = 45264.24 | |
| | @ Rate 6116.79/m³ | | | | | | |
| (12) | providing T.M.T Steel reinforcement for R.C.C work including straightening cutting bending hooking placing in position lapping & welding wherever | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | necessary tying with binding wire & anchoring to the adjoining members wherever necessary etc complete. | | | | | | |
| Platform | Qty is as per measurement & lift RB P356482 | | | | | | = 0.56 Ton |
| | Rate: 57036.48/Ton | | | | | | = 31940.42 |
| (13) | providing laying spreading & compacting graded stone aggregate to wet mix macadam Specification including premixing the material with water at OMC in mechanical mix plant- conveyance & | | | | | | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency ...
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | mixed metho |
| | layer with pa |
| | surface & b |
| | Qty is as per |
| | Rate: 1697.36/ |
| (14) | providing & a |
| | 9.8 to 12.2 kg/10 |
| | quantity respe |

| h | Contents 7 | Reference to last Measurement 8 |
|---|---|---|
| | Wire & anchoring wherever necessary | |
| | B P356482 = 0.56 Tm = 31940.42 | |
| | Compacting graded macadam Specification ital with water and- consisting of | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 356454

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | mixed method of tipper to site. laying in uniform layer with paver in sub base course on well prepared surface & compacting el-c complete. Qty is as per premeasurement & BP-356483 = 486.06 m³ @ Rate: 1697.36/m³ = 825018.80 | | | | | | |
| (14) | providing & applying primer coat- from 7.5 to 9.8 kg/ & 9.8 to 12.2 kg/100m² for surface of low & medium porosity respectully over prepared surface | | | | | | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | of granular base with cut back M.C 70 or any other bituminous mixes with dosed at 10 kg per $10m^2$ heated in bitumine boiler fitted with spray set etc complete. | | | | | | |
| | Qty is as per premeasurement of IIIrd MBP-3564 84 | | | | | | |
| | @ Rate 56.99/$m^2$ | | | | | $= 23613.30 m^2$ | |
| | | | | | | $= 1345 70.4 P$ | |
| (15) | providing & laying Semidense bituminous concreate 25mm thick with 100-120 TPH batch type | | | | | | |
| | HMP producing an average output of 75tons | | | | | | |

Serial No. .....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date | Full description, etc, of work | Nu |
|---|---|---|
| 1 | 2 | |
| | per hour using cr premixed with bi mix & liver trans laying with hyd Sensor control rolling with 8mm | |

| Contents | Reference to last Measurement |
|---|---|
| 7 | 8 |
| ...nde M.C 70 0y | |
| ...h dosed at 10 kg | |
| ...e boiler fitted | |
| ...ate. | |
| MB P-3564 84 | |
| = 2361.30 m² | |
| = 1345 70.4P | |
| bituminous | |
| TPH batch type | |
| Output of 75 tons | |

**M. A. R. 57 (Rule 116)**
Measurement Book

**No. B**

356455

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | per hour using crushed aggregates of specified grading premixed with bituminous binder at 4.5% to 5% of mix & liner transporting the hot mix to work site laying with hydrostatic paver to work finisher with screw control to the required grade level & alignment rolling with smooth wheeled roller etc complete | | | | | | |
| | | 1 | 30.00 | 5.30 | 0.025 | 3.97 | |
| | | 1 | 15.00 | $\frac{5.40+5.20}{2}$ | 0.025 | 1.98 | |
| | | | | | | 5.95 | |

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 1 | 30.00 | 6.00 | 0.025 | = 4.50 | |
| | | 1 | 25.00 | 6.00 | 0.025 | = 3.75 | |
| | | 1 | 30.00 | 5.30 | 0.025 | = 3.97 | |
| | | 1 | 30.00 | 5.30 | 0.025 | = 3.97 | |
| | | 1 | 7.00 | 5.30 | 0.025 | = 0.92 | |
| | | 1 | 30.00 | 5.00 | 0.025 | = 3.75 | |
| | | 1 | 30.00 | 5.00 | 0.025 | = 3.75 | |
| | | 1 | 4.00 | 5.00 | 0.025 | = 0.50 | |
| | | 1 | 30.00 | 5.15 | 0.025 | = 3.86 | |
| | | 1 | 30.00 | 5.15 | 0.025 | = 3.86 | |
| | | 1 | 18.00 | 5.15 | 0.025 | = 2.31 | |
| | | 1 | 20.00 | $\frac{5.47+5.23}{2}$ | 0.025 | = 3.97 | |
| | | | | | | 45.06 | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work | Nu |
|---|---|---|
| 1 | 2 | |
| | C&FC 29.58 6/3/2019 Rate 6172.76 | |
| | (16) lead for Disposa rates by mechan Unloading etc. | |

K

| Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|
| | 5.95 | |
| .025 = | 4.50 | |
| .025 = | 3.75 | |
| .025 = | 3.97 | |
| .025 = | 3.97 | |
| .025 = | 0.92 | |
| .025 = | 3.75 | |
| .025 = | 3.75 | |
| .025 = | 0.10 | |
| .025 = | 3.86 | |
| .025 = | 3.86 | |
| .025 = | 2.31 | |
| 0.025 = | 3.97 | |
| | 45.06 | |

M. A. R. 57 (Rule 116)
Measurement Book

No. B

356456

Serial No. ..... From ..... To .....

Name of Work .....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | C/FC | 1 | 20.10 | $\frac{5.40+5.20}{2}$ | × 0.025 | = 2.65 | |
| | | 1 | 30.10 | $\frac{4.60+5.40}{2}$ | × 0.025 | = 3.75 | |
| | | 1 | 30.10 | $\frac{5.40+4.20}{2}$ | 0.025 | = 3.76 | |
| | | 1 | 30.10 | $\frac{4.70+5.20}{2}$ | × 0.025 | = 3.75 | |
| | | 1 | 15.10 | $\frac{5.30+4.30}{2}$ | × 0.025 | = 1.83 | |
| | | | | | | 60.82 | |
| | | | | | | M = 375427.26 | |

Rate 6172.76/m³

(16) Lead for Disposal of Debris shall be payable at cmage rates by mechanical means including loading & Unloading etc complete.

# MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Qty is as vide item no 1 | | | | | 102.49 $m^3$ | |
| | @ Rate 70.20/$m^3$ | | | | | Qty = 7194.79 | |
| 2/4/19 | CBFC 200 Nos 2/2+/2019 | | | | | Qty 1885182=00 | |
| | Certificate: | | | | | | |
| | ① It is certified that the work done satisfactorially | | | | | | |
| 2/4/19 | ② This bill Amount has not been claimed in any of privious bills | | | | | | |
| | 20.98% | | | | | | |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |
| | Sketch showing |




ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬಸವನಪುರ ವಾರ್ಡ್

OOK

| h | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|
| | | 102.49 m³ | |
| | | ಳ = 7194.79 | |
| | | ಳ 1885182=00 | |

Tal- the work done
ally
- hey not been
of privious bills

M. A. R. 57 (Rule 116)
Measurement Book

356457

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date 1 | Full description, etc, of work 2 | Dimensions: Number 3 | Length 4 | Breadth 5 | Depth 6 | Contents 7 | Reference to last Measurement 8 |
|---|---|---|---|---|---|---|---|
| | Sketch showing the Jakkur Extension. | | | | | | |




ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24

# MEASUREMENT BOO

| Date | Full description, etc, of work | Dimensions | | | | Reference to last Measurement |
|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | D | |
| 1 | 2 | 3 | 4 | 5 | | 8 |
| | 1st and Final | | | | | Total Rs. 18,85,182-00 |
| | ಬಿಲ್ಲು ಮೊಬಲಗು ರೂ. Rs. 18,85,182-00 | | | | | IT - 18852- |
| | ಗಳ ಕೈಪಾಸು ಮಾಡಿದೆ : ಇದರಲ್ಲಿ ರೂ. 121983- | | | | | Cess - 18852- |
| | ಮೊದಲಾಗಿ ಮಾಡಿಕೊಂಡು ಉಳಿದ ಮೊಬಲಗು ರೂ. 17,63,199-00 | | | | | CBF - 1885- |
| | Rs. Seventeen Lakhs Sixty Three | | | | | LR - 35630- |
| | thousand one hundred ninety ninety | | | | | Fire 13100- |
| | ಚೆಕ್ ಮುಖಾಂತರ ನೀಡಲಾಗಿದೆ | | | | | CGST - 16832- |
| | ಲೆಕ್ಕಾಧೀಕ್ಷಕರು ಕಾ ಮಾ ಅ. ಬೆಂಗಳೂರು ನಗರ ಜಿಲ್ಲೆ, ಬೆಂ. ಮ. ಪಾ | | | | | SGST - 16832- |
| | 05-1-04 | | | | | Adjt. 121983- |
| | | | | | | Chqe. 17.63,199- |

Serial No. .....
Name of Work .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work |
|---|---|
| 1 | 2 |